# BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.**

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|---|---|---|---|
| 10/028,039 | 12/20/2001 | Paul A. Thatcher | 10019976-1 | 2993 |

7590 07/10/2003

HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P.O. Box 272400
Fort Collins, CO 80527-2400

| EXAMINER | |
|---|---|
| DESTA, ELIAS | |
| **ART UNIT** | **PAPER NUMBER** |
| 2857 | |

DATE MAILED: 07/10/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

| · Office Action Summary | Application No. 10/028,039 | Applicant(s) THATCHER ET AL. |
|---|---|---|
| | Examiner Elias Desta | Art Unit 2857 |

*-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --*

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

1)☒ Responsive to communication(s) filed on *20 December 2001* .

2a)☐ This action is **FINAL**. 2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

4)☒ Claim(s) *1-30* is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1-30* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

**Application Papers**

9)☒ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

11)☐ The proposed drawing correction filed on _____ is: a)☐ approved b)☐ disapproved by the Examiner.

If approved, corrected drawings are required in reply to this Office action.

12)☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

13)☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)☒ All b)☐ Some * c)☐ None of:

1.☒ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____ .

3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

14)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).

a) ☐ The translation of the foreign language provisional application has been received.

15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ .
4) ☐ Interview Summary (PTO-413) Paper No(s). _____ .
5) ☐ Notice of Informal Patent Application (PTO-152)
6) ☐ Other: .

# Detailed Action

## Specification

1. The specification is objected to because of the following minor informality:

- Change the following titles for better formality:
  - i. "Technical Field" to "Field of Invention"
  - ii. "Background Art" to "Background of the Invention"
  - iii. "Disclosure of the Invention" to "Summary of the Invention"
- Move "Summary of the Invention" right after "Background of the Invention" rather than having a separate page.

## Claim rejection – 35 U.S.C. 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1-5, 8-13, 15-25 and 28-30 are rejected under 35 U.S.C. 102(e) as anticipated by *Hamada et al.*, "A High-Speed Boundary Search SHMOO Plot for ULSI Memories" (IEEE Article, hereafter "Hamada").

*In reference to claims 1 and 21*: *Hamada* teaches a method of testing operational boundaries (see *Hamada*, Introduction). The method includes:

- Discovering an operational range over a plurality of varying operating parameters for a device by testing points as defined by the plurality of varying operating parameters (see *Hamada*, Figs 1, 6 and page 5, section 2-1);
- Discovering an operational boundary of the device that includes a plurality of boundary points just outside of the operational range without testing all the plurality of interior operational points (see *Hamada*, Figs. 9 and 11, page 8, paragraphs 2 and 3).

*With regard to claims 2 and 22*: as noted above in claims 1 and 21, *Hamada* further teaches that the method includes an automated search and testing of the operational boundary because *Hamada* inherently teaches that the algorithm in page 5 is implemented in a computer system to provide a faster search time (see *Hamada*, page 7, section 3).

*With regard to claims 3 and 23*: as noted above in claims 1 and 21, *Hamada* further teaches that varying first and second parameters (see *Hamada*, Figs. 8 and 9, Shmoo plots have two varying parameters in order to determine a pass or fail point) and hence no other parameter is used in the computation, it is inherent that the remaining parameters are held constant.

*With regard to claims 4 and 24*: as noted above in claims 1 and 21, *Hamada* further teaches that the method further includes:

- Beginning from a known interior operational point (see *Hamada*, Fig. 3, saving pass/fail boundary points information) and testing adjacent points

in the first direction until an initial failure point is discovered where the initial failure point is one of the plurality of boundary points (see *Hamada*, Fig. 9); and

- Using the initial failure point, testing for and discovering each of the plurality of boundary points that are adjacently coupled until returning to the initial failure point (see *Hamada*, Fig. 7, the algorithm always has the initial fail point with test value increment).

*With regard to claims 5 and 25*: as noted above in claims 4 and 24, *Hamada* further teaches that the first direction varies in only one of the plurality of varying parameters in an increasing manner, holding all the remaining parameters constant (see *Hamada*, Table 1, pass/fail test where the second parameter is kept at a value of one or "some constant value "n" for each subsequent boundary condition).

*With regard to claims 8 and 28*: as noted above in claims 1 and 21, *Hamada* further teaches that the method includes setting an upper and lower limit for each of varying parameters that define operational limits of said operational boundary where points lying outside the operational limits are points of operational failures (see *Hamada*, Fig. 9, "*" represent pass boundary point with upper and lower limit based on the Shmoo grid lines).

*With regard to claims 9 and 29*: as noted above in claims 1 and 21, *Hamada* further teaches that the method includes setting an upper and lower limit of each of varying parameters that define operational limits as shown in Fig. 9. These limits are set

for a memory device, hence it is inherent that the failure points outside the defining operational limits would not be able to boot up and run test applications.

*With regard to claims 10 and 30*: as noted above in claims 1 and 21, *Hamada* further teaches that the method includes:

- Determining whether the plurality of boundary points is part of an interior fault region with in an operational boundary (see *Hamada*, Figs. 8 and 9)
- Discovering a second operational boundary of the device that includes a second plurality of boundary points just outside of the operational range of the plurality of boundary points is also part of the interior fault region (see *Hamada*, Fig. 9, areas in block 1 and 5 of the horizontal plot).

*In reference to claim 11*: as noted above in claims 3 and 4, *Hamada* further teaches that the method of testing operational boundaries includes:

a) Varying a first and second operating parameter in a plurality of operating parameters, where the plurality operating parameters define points in an operating region for a device (see *Hamada*, Figs. 8 and 9, Shmoo plots have two varying parameters in order to determine a pass or fail point).

b) Beginning from a known operational point of the device (see *Hamada*, Fig. 3, saving pass/fail boundary points information), testing adjacently coupled points in a direction until an initial failure point is discovered (see Fig. 9).

C) Beginning from the initial failure point, testing for and discovering each of a plurality of failure points (see *Hamada*, Fig. 9) that are adjacently coupled until returning to the initial failure point (since the process is recursive, Fig. 6, test start point selection),

the plurality of failure points defining an operational boundary for the device that bounds an operational range including a plurality of interior operational points within the operating region of the device (see *Hamada*, Fig. 8, Boundary Search Shmoo Plot).

*With regard to claim 12*: as noted above in claims 2 and 11, *Hamada* further teaches that the steps (a) through (c) are performed automatically because it is inherent that the algorithm in page 5 of *Hamada* is implemented in a computer system to provide a faster search time (*Hamada*, page 7, section 3).

*With regard to claim 13*: as noted above in claim 11, *Hamada* further teaches that the direction of the method of testing the operational boundaries of the first variable varies in an increasing manner by holding the remaining parameters constant (see *Hamada*, Table 1, Boundary Point Data, notice that only "X" value is allowed to vary).

*With regard to claims 15 and 16*: as noted above in claim 11, *Hamada* further teaches that the method of testing includes:

d) Discovering if said plurality of failure points bound an interior fault region within the operational range (see *Hamada*, Fig. 9); further discovering the interior fault region if a last point that has been tested in a set of adjacent points that are examined from the beginning point to an operational limit in the same direction is an operational point (see *Hamada*, Fig. 7, test start point and Fig. 9 test point).

e) Testing for second plurality of failure points if all of known plurality of interior operational points do not lie with in the plurality of failure points (see *Hamada*, Figs. 8 and 9); and

*With regard to claim 17*: as noted above in claim 16, *Hamada* further teaches that the method includes testing for and discovering each of a second plurality of failure points that are adjacently coupled until returning the last point and the second plurality of failure points defining a second operational boundary that bounds the operational range with in the operating region for the device (see *Hamada*, Fig. 9, blocks 1 and 5 on the horizontal axis).

*With regard to claim 18*: as noted above in claim 11, *Hamada* further teaches that the device described in a memory and a memory is a chip forming an integrated circuit (see *Hamada*, Abstract).

*With regard to claim 19*: as noted above in claim 11, *Hamada* further teaches that the method includes identifying the type of fault at each plurality of failure points (see *Hamada*, Fig. 9, area where failure test points are attributed).

*With regard to claim 20*: as noted above in claim 11, *Hamada* further teaches that the method includes a voltage as an operating parameter (see *Hamada*, Fig. 12 (d)).

## Claim rejection – 35 U.S.C. 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. *Claims 6, 7, 14, 26 and 27* are rejected under 35 U.S.C. 103(a) as being unpatentable over *Hamada* in view of *Huston et al.* (U.S. Patent 6,079,038).

*In reference to claims 6, 7, 14, 26 and 27*: as noted above in claims 4 and 24, *Hamada* further teaches testing operational boundaries from a known interior operational point (see *Hamada*, page 6, section 2-3). The method also includes a recursive test start point selection (see *Hamada*, Fig. 6). However, *Hamada* does not teach testing adjacent points in a circular direction starting from known and adjacent interior operational point.

*Huston et al.* teaches testing adjacent points in a circular direction starting from known and adjacent interior points (see *Huston et al.*, Fig. 17 and column 10, lines 47-52).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the recursive test start selection method as taught by *Hamada* and incorporate a circular recursive testing method as discussed in *Huston et al.* in order to provide most definite search method because circular (clockwise or counter-clockwise) recursive method allows the user to explore a three dimensional Shmoo plot with adding too much over head on the computation time (see *Huston et al.*, column 10, lines 47-65).

## Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant disclosure.

- *Carney* (U.S. 6,418,387) teaches method and system for generating a binary Shmoo plot in n-dimensional space.

- *Niggemeyer et al.* (IEEE Journal) teaches the method for parametric built-in self-test using on-chip phase-locked loops.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elias Desta whose telephone number is (703)-305-3840. The examiner can normally be reached on M-Thu (8:00-6:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc S. Hoff can be reached on (703)-308-1677. The fax phone numbers for the organization where this application or proceeding is assigned are (703)-308-5841 for regular communications and (703)-308-5841 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)-308-1782.

Elias Desta
Examiner
Art Unit 2857

-ed

June 25, 2003

MARC S. HOFF
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800